



# SAFETY DATA SHEET

## EASY STRIP

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

**PRODUCT NAME** EASY STRIP  
**PRODUCT NO.** A141  
**INTERNAL ID** P.16  
**APPLICATION** Floor polish remover  
**SUPPLIER** Evans Vanodine International  
 Brierley Road  
 Walton Summit  
 Preston. PR5 8AH  
 01772 322200  
 01772 626000

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
2-BUTOXYETHANOL	203-905-0	111-76-2	10-20%	Xn;R20/21/22 Xi;R36/38
2-AMINOETHANOL	205-483-3	141-43-5	5-10%	C;R34 Xn;R20/21/22
1-AMINOPROPAN-2-OL	201-162-7	78-96-6	1-5%	C;R34
ALCOHOL (C9-11) ETHOXYLATE (8EO)		68439-46-3	1-5%	Xn;R22. Xi;R41.
TRISODIUM NITRILLO TRIACETATE	225-768-6	5064-31-3	1-5%	Xi;R36/38.
METHANOL	200-659-6	67-56-1	0-1%	F;R11 T;R23/24/25,R39/23/24/25

The Full Text for all R-Phrases are Displayed in Section 16

### 3 HAZARDS IDENTIFICATION

Causes burns. Harmful by inhalation, in contact with skin and if swallowed. Irritating to respiratory system.

**CLASSIFICATION** Xn;R20/21/22. C;R34. Xi;R37.

### 4 FIRST-AID MEASURES

#### INHALATION

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

#### INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention immediately!

#### SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

#### EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### SPECIFIC HAZARDS

If involved in fire, may emit noxious fumes.

#### PROTECTIVE MEASURES IN FIRE

Protective clothing and respiratory protection should be worn when tackling fires involving this product.

### 6 ACCIDENTAL RELEASE MEASURES

# EASY STRIP

## PERSONAL PRECAUTIONS

Wear respiratory protection. Wear suitable protective clothing, gloves and eye/face protection.

## ENVIRONMENTAL PRECAUTIONS

Large spillages or uncontrolled discharges into rivers or streams must be reported to The Environment Agency or other regulatory body.

## SPILL CLEAN UP METHODS

Small quantities may be flushed to drains with plenty of water. Large Spillages Absorb in vermiculite, dry sand or earth and place into containers. Send for disposal as special waste.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Wear respiratory protection. Wear suitable protective clothing, gloves and eye/face protection.

### STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area. Keep in original container. Store away from Oxidising material.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
METHANOL	WEL	200 ppm(Sk)	266 mg/m3(Sk)	250 ppm(Sk)	333 mg/m3(Sk)
2-BUTOXYETHANOL	WEL	25 ppm(Sk)		50 ppm(Sk)	
2-AMINOETHANOL	WEL	3 ppm	7.6 mg/m3	6 ppm	15 mg/m3

### INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

### PROTECTIVE EQUIPMENT



### ENGINEERING MEASURES

Must not be handled in confined space without sufficient ventilation.

### RESPIRATORY EQUIPMENT

Wear Respiratory protection compliant with EN 141 (A2 B2 E2 K2 Hg-p3).

### HAND PROTECTION

Household rubber gloves.

### EYE PROTECTION

Use approved safety goggles or face shield.

### OTHER PROTECTION

Wear suitable protective clothing.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE</b>	Liquid		
<b>COLOUR</b>	Clear Colourless		
<b>ODOUR</b>	Slight odour Glycol ether.		
<b>SOLUBILITY</b>	Soluble in water		
<b>BOILING POINT (°C)</b>	102	<b>MELTING POINT (°C)</b>	-2
<b>RELATIVE DENSITY</b>	1.005 @ 20 °c	<b>pH-VALUE, CONC. SOLUTION</b>	12.00
<b>FLASH POINT (°C)</b>	Boils without flashing		

## 10 STABILITY AND REACTIVITY

### STABILITY

No particular stability concerns.

## 11 TOXICOLOGICAL INFORMATION

### TOXICOLOGICAL INFORMATION

Refer to section 3.

# EASY STRIP

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

Not regarded as dangerous for the environment.

### BIOACCUMULATION

Completely soluble. No bioaccumulation.

### DEGRADABILITY

This product, at use dilutions, is readily broken down in biological effluent treatment plants.

## 13 DISPOSAL CONSIDERATIONS

### DISPOSAL METHODS

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

## 14 TRANSPORT INFORMATION



<b>PROPER SHIPPING NAME</b>	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ethanolamine)		
<b>UN NO. ROAD</b>	3267	<b>ADR CLASS</b>	Class 8: Corrosive substances.
<b>ADR PACK GROUP</b>	III	<b>RID CLASS NO.</b>	Class 8: Corrosive substances.
<b>RID PACK GROUP</b>	III	<b>UN NO. SEA</b>	3267
<b>IMDG CLASS</b>	Class 8: Corrosive substances.	<b>IMDG PACK GR.</b>	III
<b>MARINE POLLUTANT</b>	No.	<b>UN NO. AIR</b>	3267
<b>ICAO CLASS</b>	Class 8: Corrosive substances.	<b>AIR PACK GR.</b>	III

## 15 REGULATORY INFORMATION

### LABELLING



Corrosive

### RISK PHRASES

R34	Causes burns.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R37	Irritating to respiratory system.

### SAFETY PHRASES

S2	Keep out of the reach of children
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45	In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S51	Use only in well-ventilated areas.

### ENVIRONMENTAL LISTING

Hazardous Waste (England and Wales) Regulations.

### EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EEC. As amended by Directive 93/112/EC and 2001/58/EC.

### STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. 2005

# EASY STRIP

**APPROVED CODE OF PRACTICE**

The compilation of safety Data Sheets L130.

**GUIDANCE NOTES**

Workplace Exposure Limits EH40. As amended in 2005. Approved guide to the Classification and Labelling of Substances and Preparations Dangerous for Supply. L100

---

**16 OTHER INFORMATION**

---

**INFORMATION SOURCES**

Approved Supply List - HSC. Material Safety Data Sheet, Misc. manufacturers.

**REVISION COMMENTS**

Change in product classification due to the change in classification of a raw material. (Changes made to sections 2, 3, 4, 5, 6, 7, 8, 11, 15&16) Also - Change due to CHIP 3.1 (2005) OES or MEL replaced by WEL in section 8.

**REVISION DATE** 01/11/05

**REV. NO./REPL. SDS** Issue 3

**GENERATED****RISK PHRASES IN FULL**

R11	Highly flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R36/38	Irritating to eyes and skin.
R37	Irritating to respiratory system.
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
R41	Risk of serious damage to eyes.